Pre-Contractual Data Information: Connected Product (EU Data Act)

Product	FLUKE-12xB
Firmware / HW	ALL
Connectivity / Interfaces	Wi-Fi via optional dongle / Optical interface via optional cable
Contact	privacypolicy@fluke.com

1) Product data

- **Physical measurements:** voltage, Frequency, time, resistance, continuity, Capacitance, Amps*, Power*
  - *) using optional accessory
- **Model numbers:** FLUKE-123B, FLUKE-124B, FLUKE-125B (core models listed; there are many SKU-level variations with language and country localization – all are covered).
- **Status / telemetry:** not collected
- **Events & diagnostics:** [warnings, alarms, error codes]
- **Configuration values:** [setpoints, calibration values]
- **Other:** Not applicable

Estimated volume (typical): up to 2 M readings for a recording

Collection Frequency: Waveform sampling speed up to 40MS/s real time, 480 datapoints per channel. Recording meter readings 2 measurements per second, max 2 M readings for 1 channel. Waveform recording 400k samples/s up to 400 M samples (1.5 G samples on optional SD card)

For general operational guidance, please refer to the product’s user manual.

2) Data formats

- **Save options:** Saving can be done to internal memory or, optionally on the 124B and 125B, to a FAT32 formatted SD card. All data is saved in proprietary format.
  - Screen + Setup + measurement data (waveform and/or readings)
  - Recording data

3) Storage & retention

- **On-device storage:** Yes.
  - **ScopeMeter Mode:** Internal Memory or on optional SD-Card — 20 data sets (screen waveform and setup).
  - **Recorder Mode:** Meter recording up to 2M min, max, average data points; Waveform recording up to 400 M points internal memory, up to 1.5 G points on optional SD-card.
- **Cloud / servers:** No
- **Retention:** in memory until deleted by user
- **Deletion/anonymization:** N/A

4) User access, export & erase

- **Where:**
  - FlukeView ScopeMeter-2 version 3.2.0 (Windows application software).
  - FlukeView ScopeMeter-2 license is included with all FLUKE-12xB/xx/S models.
- **How:**
  - **For /S models:** FlukeView ScopeMeter-2 can connect via optional Wi-Fi dongle or OC4USB optical cable.
  - All data can be downloaded using FlukeView and exported in proprietary .FVF format or .CSV format or .PNG, JPG or BMP format.
  - **For Non/S models:** the “Fluke Data Downloader” app is provided free of charge for use with Wi-Fi dongle communications.
- **Export formats:** .CSV format or .PNG, JPG or BMP format
- **Limits/rate-limits (if any):** none
- **Request erasure:** Via instrument UI: MENU, MEMORY, SELECT ALL, ACTION, DELETE menu

5) Data Sharing with Third Parties

To the extent Fluke has access to the relevant data, you may authorize a third party to access such data by contacting Fluke using the details set out above, specifying the recipient and purpose of the data sharing. You may view and revoke authorized data transfers at any time via the same contact details.

Where data is stored locally on your device or within your own environment and is not accessible to Fluke, you are responsible for granting third-party access directly.

6) Terms of service, contract term & termination

As provided in the quote, order form, or agreement between you and Fluke. If you purchased the product through a distributor or reseller, the terms of service, contract term and termination are as agreed between you and that seller.

7) How Data Holder uses the data

If Fluke has access to any data generated through your use of a Fluke connected product or related service, this will be used in accordance with the applicable agreement between you and Fluke, through which you purchase Fluke’s products or services. The relevant Fluke entity details will be specified in the quote or order form as applicable.

Fluke may engage third parties to act as service providers and perform certain tasks on its behalf, such as processing or storing data generated in connection with your use of a Fluke connected product or related service. For more information, please visit **https://www.fluke.com/en-us/fluke/privacy-policy**

8) Trade secrets

No trade secrets are contained in the data.

9) Right to lodge a complaint

If you have a complaint relating to your Fluke connected product or related service, or the Data Act in general, you can contact Fluke using the details set out above. You also have the right to lodge a complaint with the relevant competent authority designated under Article 37 of the EU Data Act, in the Member State of your habitual residence, place of work or establishment.

Notice version: 1.0 **Last updated:** 2026-08-26