Pre-Contractual Data Information: Connected Product (EU Data Act)

Product	FLK-166x series
Firmware / HW	FW digital board rev. 2.00 and rev. 5, analog board rev. 1.11
Connectivity / Interfaces	BLE (only for 1664FC) and IR-USB cable
Contact	privacypolicy@fluke.com

1) Product data

- **Physical measurements:** voltage, resistance, current, frequency
- **Output measurement functions:** voltage, continuity, loop impedance, RCD ramp, RCD time, phase rotation, earth resistance, insulation resistance
- **Device identifiers:** model, serial number
- **Status / telemetry:** on/off, operating mode, battery level
- **Events & diagnostics:** error codes, date and time stamps
- **Configuration values:** calibration values

Estimated volume (typical): ~200 bytes per measured result

Collection Frequency: Only per user-driven event with a press of the 'Test' button; collection starts after saving of measurement results.

For general operational guidance, please refer to the product’s user manual.

2) Data formats

Users can export and read data from the device in two ways: the Fluke Connect mobile app and the TruTest PC app.

- **Live measurements (only for 1664FC):** live measurements can be captured, saved, and exported from the Fluke Connect mobile app.
- **Stored data:** stored data can be transferred to TruTest in an .ser format.
- **On device/in transit:** .ser

3) Storage & retention

- **On-device storage:** the product is capable of storing 3,000 measurement records; data can be overwritten only by the end user through direct selection of the results which would be replaced.
- **Retention:**
  - On-device measurement data retention is under user control (manual deletion, factory reset).
  - **Deletion/anonymization:** the device does not support auto-delete of data. Users can manually delete data.

4) User access, export & erase

Live (Only for 1664FC)

- **Where:** Fluke Connect app **Fluke Connect | Fluke**, **Product User Manual**.
- **How:** ‘Data’ tab > press export > select measurement > press ‘Share’ > choose format of registered data > CSV > press ‘Next’.
- **Export formats:** CSV.
- **Limits/rate-limits (if any):** None.

Stored

- **Where:** Fluke TruTest app **TruTest | Fluke**, **Product User Manual**.
- **How:**
  - On transferring a project from 166x to TruTest, device data is stored in .ser format in the user’s TruTest installation (C:\ProgramData\TruTest\Data\Measurements). The data is available in an .ser format.
    Users can use the Sample Database on the free version
  - **Convert to JSON:** to convert to JSON, users can use the Fluke Data Downloader application. Instructions are available in the application.
- **Export formats:** .ser, JSON.
- **Limits/rate-limits (if any):** None.

5) Data Sharing with Third Parties

To the extent Fluke has access to the relevant data, you may authorize a third party to access such data by contacting Fluke using the details set out above, specifying the recipient and purpose of the data sharing. You may view and revoke authorized data transfers at any time via the same contact details.

Where data is stored locally on your device or within your own environment and is not accessible to Fluke, you are responsible for granting third-party access directly.

6) Terms of service, contract term & termination

As provided in the quote, order form, or agreement between you and Fluke. If you purchased the product through a distributor or reseller, the terms of service, contract term and termination are as agreed between you and that seller.

7) How Data Holder uses the data

If Fluke has access to any data generated through your use of a Fluke connected product or related service, this will be used in accordance with the applicable agreement between you and Fluke, through which you purchase Fluke’s products or services. The relevant Fluke entity details will be specified in the quote or order form as applicable.

Fluke may engage third parties to act as service providers and perform certain tasks on its behalf, such as processing or storing data generated in connection with your use of a Fluke connected product or related service. For more information, please visit **https://www.fluke.com/en-us/fluke/privacy-policy**

8) Trade secrets

No trade secrets are contained in the data.

9) Right to lodge a complaint

If you have a complaint relating to your Fluke connected product or related service, or the Data Act in general, you can contact Fluke using the details set out above. You also have the right to lodge a complaint with the relevant competent authority designated under Article 37 of the EU Data Act, in the Member State of your habitual residence, place of work or establishment.

Notice version: 1.0 **Last updated:** 2026-08-25